



[Designed for Speed]



OSPW Rear Derailleur

INSTALLATION GUIDE

www.FastTT.bike

INTRODUCTION

Congratulations on purchasing your FastTT OSPW!

IMPORTANT!

Due to the technical nature of rear derailleurs and the intricacies of the internal spring mechanism, we recommend that a qualified bike mechanic fit your OSPW derailleur. If incorrectly fitted, the derailleur mechanism will not function properly.

You will require a longer chain to be fitted due to the oversize pulley wheels.

Under normal dry riding conditions, the ceramic bearings in your new OSPW DO NOT require lubrication.



If you have ridden in the rain or the OSPW has been exposed to large amounts of water, you should apply a light spray of bicycle lubricant to the bearing region (NOT chain lube).

If you choose to fit your OSPW derailleur yourself, please consult the original manufacturers workshop manual for installation instructions. Click on the QR codes below for workshop manuals:

Shimano Ultegra 6700, 6800 & 8000 series

Shimano Dura Ace 9000 & 9100 series



SRAM Red/Force/Rival

WARRANTY

The manufacturer (Bold Horizon Ltd t/a FastTT) assumes no responsibility or liability for any injury, loss or damage caused as a result of using this product under any conditions. All FastTT products are supplied with a 12-month manufacturers defect warranty. Any damage caused by misuse, incorrect installation, modification, accident, or any other cause is not covered by the manufacturer's warranty.

In the event of a warranty claim the manufacturer reserves the right to replace, repair or credit the full purchase price excluding shipping (where applicable). In the event of a replacement or repair, the cost of returning the unit to the manufacturer will be paid by the customer. The manufacturer will pay for shipping of the repaired or replacement unit to the customer.

Contact us via email: speed@fastTT.bike or message us on Instagram: [@fastTT.bike](https://www.instagram.com/fastTT.bike)

